Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	17898	"708"/\$.ccls. and @ad<"20001206"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/01 17:21
L2	1369	1 and (fir or (finite\$1 adj impulse\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/01 17:38
L3	891	2 and 708/300-323.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/01 17:23
L4	204	3 and 708/319.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/01 17:23
L5	120	4 and (difference or subtraction)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/01 17:23
L6	80	5 and (switch\$3 or mux\$2 or multiplex\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/01 17:24
L7	1	6 and (add\$3 adj unit\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/01 17:26
L8	26	(difference.ti. or difference.clm. or difference.ab.) and 4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/01 17:37

L9	19774	@ad<"20001206" and (fir or (finite\$1 adj impulse\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/01 17:37
L10 _.	2208	(difference.ti. or difference.clm. or difference.ab.) and 9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/01 17:37
L11	793	10 and ((fir or (finite\$1 adj impulse\$1)).ti. or (fir or (finite\$1 adj impulse\$1)).clm. or (fir or (finite\$1 adj impulse\$1)).ab.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/01 17:38
L12	103	11 and "708"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/01 17:38
L13	89	12 not 8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/01 17:38
L14	65	13 and 3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/01 17:38
L15	36	shift\$3 and 14	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/01 17:38
L16	35	15 and addition\$2 and 15	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/01 17:45

L17	2	"20020023115"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2005/08/01 17:47
L18	2	"6647405".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2005/08/01 17:47



Welcome United States Patent and Trademark Office

□ Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

Results for "(kuroiwa k.<in>au)"

Your search matched 4 of 1203811 documents.

☑ e-mail

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

» Search Options

View Session History

New Search

Modify Search

(kuroiwa k.<in>au)

Г

>>

» Key

IEEE Journal or

Magazine

IEE JNL

IEEE JNL

IEE Journal or Magazine

IEEE CNF

IEE CNF

IEEE Conference Proceeding

IEE Conference Proceeding

IEEE STD IEEE Standard

Check to search only within this results set

Select Article Information

1. Longitudinal mode behaviors of 1.5 µm range GalnAsP/InP distributed fer

Itaya, Y.; Matsuoka, T.; Kuroiwa, K.; Ikegami, T.;

Quantum Electronics, IEEE Journal of

Display Format: © Citation C Citation & Abstract

Volume 20, Issue 3, Mar 1984 Page(s):230 - 235

AbstractPlus | Full Text: PDF(736 KB) IEEE JNL

2. Roles of frequency-modulated components of monosyllabic sounds in at processing

Ono, T.; Waki, K.; Hoshino, O.; Kuroiwa, K.;

Neural Information Processing, 2002. ICONIP '02. Proceedings of the 9th Inter

Volume 1, 18-22 Nov. 2002 Page(s):120 - 124 vol.1

Digital Object Identifier 10.1109/ICONIP.2002.1202143

AbstractPlus | Full Text: PDF(503 KB) IEEE CNF

3. Dynamic cell assemblies and vowel sound categorization Г

Hoshino, O.; Mitsunaga, K.; Miyamoto, M.; Kuroiwa, K.;

Neural Information Processing, 2002. ICONIP '02. Proceedings of the 9th Inter

Conference on

Volume 2, 18-22 Nov. 2002 Page(s):740 - 744 vol.2

Digital Object Identifier 10.1109/ICONIP.2002.1198156

AbstractPlus | Full Text: PDF(535 KB) IEEE CNF

4. Static timing analyzer with source/drain identification by non-Z procedure

Kuribayashi, M.; Takeuchi, H.; Tsujimoto, J.; Kuroiwa, K.; Tonooka, Y.; Circuits and Systems, 1996. ISCAS '96., 'Connecting the World'., 1996 IEEE Ir

Symposium on

Volume 4, 12-15 May 1996 Page(s):791 - 793 vol.4

Digital Object Identifier 10.1109/ISCAS.1996.542143

AbstractPlus | Full Text: PDF(252 KB) IEEE CNF

Contact Us Privacy &

© Copyright 2005 IEEE -

Indexed by # Inspec



Welcome United States Patent and Trademark Office

☐ Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

Results for "(hikitai m.<in>au)"

Your search matched 3 of 1203811 documents.

⊠e-mail

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

» Search Options

View Session History

New Search

Modify Search

(hikitai m.<in>au)

>>

Check to search only within this results set Display Format:

» Key

IEEE JNL IEEE Journal or

Magazine

IEE JNL

IEE Journal or Magazine

IEEE CNF

IEEE Conference

Proceeding

IEE CNF

IEE Conference

Proceeding

IEEE STD IEEE Standard

Select Article Information

1. Miniature SAW Antenna Duplexer for Portable Telephone

Hikitai, M.; Ishida, Y.; Tabuchi, T.;

Microwave Symposium Digest, MTT-S International Volume 87, Issue 2, Jun 1987 Page(s):797 - 800

AbstractPlus | Full Text: PDF(400 KB) IEEE CNF

2. High isolation techniques for SAW duplexer modules Г

Shiba, T.; Kamogawa, N.; Ishizaki, T.; Okajima, D.; Hosaka, N.; Moteki, M.; Og

Ultrasonics Symposium, 2002. Proceedings. 2002 IEEE

Volume 1, 8-11 Oct. 2002 Page(s):105 - 108 vol.1

AbstractPlus | Full Text: PDF(269 KB) IEEE CNF

3. High isolation SAW antenna duplexer modules Г

Kamogawa, N.; Shiba, T.; Ishizaki, T.; Okajima, D.; Hosaka, N.; Moteki, M.; Og

Hikitai, M.;

Ultrasonics Symposium, 2001 IEEE

Volume 1, 7-10 Oct. 2001 Page(s):309 - 314 vol.1

Digital Object Identifier 10.1109/ULTSYM.2001.991631

AbstractPlus | Full Text: PDF(396 KB) IEEE CNF

Indexed by # Inspec Contact Us Privacy &:

Copyright 2005 IEEE -



Welcome United States Patent and Trademark Office

☐ Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

Results for "(((fir <or> (finite impulse)) <and> difference <and> shift)<in>metadata)" Your search matched 10 of 1203811 documents.

Г

⊠e-mail

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

» Search Options

View Session History

New Search

Modify Search

(((fir <or> (finite impulse)) <and> difference <and> shift)<in>metadata)

>>

Check to search only within this results set

IEEE JNL

» Key

IEEE Journal or

Magazine

IEE Journal or Magazine

IEE JNL

IEE CNF

IEEE CNF

IEEE Conference Proceeding

IEE Conference

Proceeding

IEEE STD IEEE Standard

Select Article Information

Implementation of low complexity FIR filters using a minimum spanning t

Ohlsson, H.; Gustafsson, O.; Wanhammar, L.;

Electrotechnical Conference, 2004. MELECON 2004. Proceedings of the 12th

Mediterranean

Volume 1, 12-15 May 2004 Page(s):261 - 264 Vol.1 Digital Object Identifier 10.1109/MELCON.2004.1346826

AbstractPlus | Full Text: PDF(470 KB) IEEE CNF

2. A shifted permuted difference coefficient method Г

Ohlsson, H.; Gustafsson, O.; Wanhammar, L.;

Circuits and Systems, 2004. ISCAS '04. Proceedings of the 2004 International

Volume 3, 23-26 May 2004 Page(s):III - 161-4 Vol.3 Digital Object Identifier 10.1109/ISCAS.2004.1328708

AbstractPlus | Full Text: PDF(219 KB) | IEEE CNF

3. Design of improved GMSK quadrature modulator

Young Joon Song; Dae Jung Kim; Koung Yearl Han;

Communication Technology Proceedings, 1996. ICCT'96., 1996 International (

Volume 2, 5-7 May 1996 Page(s):781 - 786 vol.2 Digital Object Identifier 10.1109/ICCT.1996.544998

AbstractPlus | Full Text: PDF(364 KB) | IEEE CNF

4. High-fidelity FIR filters based on central-difference operators Г

Wilkinson, R.H.;

Circuits, Devices and Systems, IEE Proceedings [see also IEE Proceedings G and Systems)

Volume 141, Issue 2, April 1994 Page(s):111 - 120

AbstractPlus | Full Text: PDF(776 KB) | IEE JNL

5. Interpolation of signals by generalized piecewise-linear multiple generator Г

Ichige, K.; Blu, T.; Unser, M.;

Acoustics, Speech, and Signal Processing, 2003. Proceedings. (ICASSP '03).

International Conference on

Volume 6, 6-10 April 2003 Page(s):VI - 261-4 vol.6

Digital Object Identifier 10.1109/ICASSP.2003.1201668

AbstractPlus | Full Text: PDF(321 KB) IEEE CNF

6. Performance of an implemented complex correlator with a simulated stat dispersive radio channel Olsson, B.; Electrotechnics, 1988. Conference Proceedings on Area Communication, EUR European Conference on 13-17 June 1988 Page(s):430 - 432 Digital Object Identifier 10.1109/EURCON.1988.11193 AbstractPlus | Full Text: PDF(172 KB) IEEE CNF 7. Wave propagation over a forest edge - parabolic equation modelling vs. r Holm, P.; Eriksson, G.; Kraus, P.; Lundborg, B.; Lofsved, E.; Sterner, U.; Waer Personal, Indoor and Mobile Radio Communications, 2002. The 13th IEEE Inte Symposium on Volume 1, 15-18 Sept. 2002 Page(s):140 - 145 vol.1 AbstractPlus | Full Text: PDF(443 KB) IEEE CNF 8. Time-frequency distribution kernel design over a discrete powers-of-two Г Venkatesan, G.T.; Amin, M.G.; Signal Processing Letters, IEEE Volume 3, Issue 12, Dec. 1996 Page(s):305 - 306 Digital Object Identifier 10.1109/97.544783 AbstractPlus | References | Full Text: PDF(228 KB) IEEE JNL 9. A parameter estimation approach to time-delay estimation and signal det Chan, Y.; Riley, J.; Plant, J.; Acoustics, Speech, and Signal Processing [see also IEEE Transactions on Sig IEEE Transactions on Volume 28, Issue 1, Feb 1980 Page(s):8 - 16 AbstractPlus | Full Text: PDF(1504 KB) IEEE JNL 10. A parameter estimation approach to time delay estimation Chan, Y.; Riley, J.; Plant, J.; Acoustics, Speech, and Signal Processing, IEEE International Conference on Volume 4, Apr 1979 Page(s):128 - 131 AbstractPlus | Full Text: PDF(112 KB) IEEE CNF

Indexed by

Help Contact Us Privacy &:

© Copyright 2005 IEEE -



Welcome United States Patent and Trademark Office

☐ Search Session History BRC

BROWSE SEARCH

IEEE XPLORE GUIDE

Mon, 1 Aug 2005, 5:56:06 PM EST

Edit an existing query or compose a new query in the Search Query Display.

Select a search number (#) to:

- Add a query to the Search Query Display
- Combine search queries using AND, OR, or NOT
- Delete a search
- Run a search

Recent	Search	Queries

Search Query Display

- #1 (kanasugi m.<in>au)
- #2 (taniguchi s.<in>au)
- #3 (taniguchi s.<in>au) <and> fir
- #4 (taniguchi s.<in>au) <and> (finite impulse)
- #5 (taniguchi s.<in>au) <and> fir
- #6 (taniguchi s.<in>au)
- #7 (taniguchi s.<in>au) <and> filter
- #8 (taniguchi s.<in>au)
- #9 (kuroiwa k.<in>au)
- #10 (hikita m.<in>au)
- #11 (hikitai m.<in>au)
- #12 (((fir <or> (finite impulse)) <and> difference)<in>metadata)
- #13 (((fir <or> (finite impulse)) <and> difference <and> shift <...
- #14 (((fir <or> (finite impulse)) <and> difference <and> shift)&...

Indexed by

Help Contact Us Privacy & :

© Copyright 2005 IEEE -